

CIC 2014 CCI

December 2-4
2 - 4 décembre
OTTAWA

Canadian Immunization Conference
Conférence canadienne sur l'immunisation

Condition-of-Service Influenza Prevention in Health Care Settings

Armand H. Matheny Antommaria, MD, PhD, FAAP

Director, Ethics Center

Lee Ault Carter Chair of Pediatric Ethics

Associate Professor, Division of Hospital Medicine

Cincinnati Children's Hospital Medical Center

Disclosure Statement



- I have no affiliation (financial or otherwise) with a pharmaceutical, medical device or communications organization.

Objectives



- As a result of their participation in this activity, individuals should be able to
 - Describe Kass' public health ethics framework
 - Justify who condition-of-service policies should apply to and what types of exemptions should be permitted
 - Analyze the balance of benefits and burdens of condition-of-service policies

Ethical Frameworks



- Professional
- Principlism
- Public Health

Professional



Justification

- Fiduciary Obligations
- Virtues

Criticism

- Many healthcare workers are not members of professions
 - Health Unit Coordinators
 - Housekeeping Staff
 - Food Service Employees
- Arguments based on professional duties do not apply to them

Principle Based Approach



Justification

- Principles
 - Respect for Autonomy
 - Nonmaleficence
 - Beneficence
 - Justice

Criticism

- Inadequate method to resolve conflicts between principles

Public Health




- What are the public health **goals** of the proposed program?
- How **effective** is the program in achieving its stated goals?
- What are the known or potential **burdens** of the program?
- Can burdens be **minimized**? Are there **alternative** approaches?
- Is the program implemented **fairly**?
- How can the benefits and burdens of a program be fairly **balanced**? What procedures will best allow for fair **consideration** of differing views?

What are the public health goals of the proposed program?

- Primary Goal: Preventing patients at higher risk of complications from becoming infected
- Secondary Goals: Maintaining a critical workforce
- Tertiary Goals: Building trust in health care

How effective is the program in achieving its stated goals?

- Efficacy of vaccine to prevent
 - Influenza
 - Nosocomial transmission of influenza in healthcare settings
 - Acute
 - Extended
 - Efficacy of masks to prevent nosocomial transmission of influenza in healthcare settings
- 

What are the known or potential burdens of the program?

- Side effects of vaccination
 - Injection-site pain
 - Allergic or immediate hypersensitivity reactions
- Restriction of individual liberty
 - Inconvenience
 - Distress
 - Violation of integrity and loss of self-respect

Can burdens be minimized? Are there alternative approaches?

- Improve patient vaccination rates
- Prevent transmission
- Improve worker vaccination rates
 - Voluntary
 - Mandatory

Is the program implemented fairly?



- Scope
 - Employees vs. Nonemployees
 - Direct vs. Indirect vs. No patient contact
- Exemptions
 - Medical
 - Nonmedical
 - Religious
 - Philosophical

How can the benefits and burdens of a program be fairly balanced?

- **100% of healthcare personnel**
 - with direct patient contact
 - **without medical contraindications**
 - or conscientious objections
- **vaccinated [or masked]**

What procedures will best allow for fair consideration of differing views?

- Union employees
- Nonunion employees
- Patients

Conclusions



- A public health ethics framework is the most appropriate ethical method for analyzing condition-of-service policies
- Condition-of-service policies should apply to all individuals with direct patient contact
- Permitting nonmedical exemptions for conscientious objectors helps to balance benefits and burdens